RECEIVED
CENTRAL FAX CENTER

JUL 1 3 2005

USDA-ARS-OTT 1815 N. University Street Peoria, Illinois 61604 309/681-6513; 309/681-6688 FAX

Facsimile transmittal

To: Robert Zeman

Art Unit 1645

Fax: 571/273-8300

From: Curtis P. Ribando

Date: July 13, 2005

Re: 10/774,248

Pages: 11 (to include cover sheet)

MAIL STOP AF
Reply Under 37 CFR 1.116
Expedited Procedure
Technology Center 1645

The following is being submitted to the United States Patent and Trademark Office by Facsimile. Entry is respectfully requested.

[X] Amendment - After Final (10 pages)

IX | Certificate of Facsimile

CERTIFICATE OF FILING VIA FACSIMILE

The undersigned hereby certifies that the attached Amendment, was this day, July 13, 2005, filed in the United States Patent and Trademark Office via facsimile to facsimile number 571/273-8300. Tetal Pages: 11

Curtis P. Ribando

IMPORTANT/CONFIDENTIAL: This message is intended only for the use of the individual or entity to whom it is addressed. This message contains information from the Office of Technology Transfer, USDA-Agricultural Research Service which may be privileged, confidential, or exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, retention, archiving, or copying of the communication is strictly prohibited. If you have received this communication in error, please notify us immediately at our telephone number listed above.

RECEIVED CENTRAL FAX CENTER

JUL 1 3 2005

Reply Under 37 CFR 1.116 Expedited Procedure Technology Center 1645 PATENT

P.C. 0180.03

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

In re application of)
JOEL A. BADER ET AL.) Group Art Unit 1645) Examiner R. Zeman
An Adhesion Deficient Isolate of Flavobacterium Columnare Against Columnaris Disease)))
Serial No. 10/774,248))
Filed February 6, 2004)
The Honorable The Commissioner for Patents Sir:	

Amendment

This is in response to the Patent & Trademark Office Final Rejection dated June 16, 2005. Please amend the application as follows: